LATEX support for Lato Version 2.2

Mohamed El Morabity

melmorabity@fedoraproject.org

December 25, 2011

Contents

1	Introduction Installation			
2				
3	3.2.1 Lato as default (sans-serif) font	3 3		
4	Known bugs and improvements 4.1 Small dotless "j"			
5	License	4		

1 Introduction

Lato is a sanserif typeface family designed in the Summer 2010 by Warsaw-based designer ukasz Dziedzic for the tyPoland foundry (see figure 1 on the following page). This font is available at its web site [1] as TrueType files licensed under the OFL version 1.1.

This package provides support for this font in LaTeX. It includes the original TrueType fonts, as well as Type 1 versions, converted for this package using Font-Forge for full support with Dvips.

Lato Hairline
Lato Hairline Italic
Lato Light
Lato Light Italic
Lato Regular
Lato Italic
Lato Bold
Lato Bold Italic
Lato Black
Lato Black
Lato Black Italic

Figure 1: Available styles for Lato

2 Installation

These directions assume that your T_EX distribution is TDS-compliant. Once the lato.zip archive extracted:

- 1. Copy doc/, fonts/, source/, and tex/ directories to your texmf/ directory (either your local or global texmf/ directory).
- 2. Run mktexlsr to refresh the file name database and make TEX aware of the new files.
- 3. Run updmap --enable Map lato.map to make Dvips, dvipdf and pdfTEX aware of the new fonts.

Note that this package requires the keyval [2] and slantsc [3] (to handle italic/slanted small caps) ones to work.

3 Usage

3.1 Calling Lato

You can use the Lato font in a LaTEX document by adding the command

\usepackage{lato}

to the preamble. The package supplies the $\final {\tt flafamily}$ command to switch the current font to Lato.

3.2 Options

3.2.1 Lato as default (sans-serif) font

You can set LTEX to use Lato as standard font throughout the whole document by passing the default option to the package:

OT1-encoded	To Ta Té
T1-encoded	To Ta Té

Table 1: Kerning with OT1 and T1 encodings

\usepackage[default]{lato}

To set Lato as default sans-serif only:

\usepackage[defaultsans]{lato}

3.2.2 Font scaling

The font can be up- and downscale by any factor. This can be used to make Lato more friendly when used in company with other type faces, e.g., to adapt the x-height. The package option scale=ratio will scale the font according to ratio (1.0 by default), for example:

\usepackage[scale=0.95]{lato}

3.3 Encodings

The following encodings are supported:

To use one or another encoding, give the LATEX name to the fontenc package as usual, as in

\usepackage[T1]{fontenc}
\usepackage{lato}

Note that, as usual with OT1 encoded fonts, kerning with accented characters is treated poorly, if at all. Note difference in kerning between these two encoding in table 1. It is therefore advised to always use the Lota fonts in any encoding than OT1 when typing diacritics.

3.4 Available weights and variants

Table 2 on the following page lists the available font series and shapes with their NFSS classification. Parenthesized combinations are provided via substitutions. Notice that the small capitals are faked ones (reduced to 80%).

Samples of the font are available in the lato-samples.pdf file.

4 Known bugs and improvements

family	encoding	series	shape
fla	OT1, T1	el, l, m, b (bx), eb	n, it (sl), sc, scit (scsl)
114	TS1		n, it (sl)

Table 2: Available font series and shapes for Lato

4.1 Small dotless "j"

The Lato font files do not provide any dotless "j" glyph. This $\mbox{\em ET}_{\mbox{\em ET}}\mbox{\em ET}_{\mbox{\em ET}}\mbox{\em ET}$ support provides a faked one (J), available by typing \j, and built using the t1dotlessj command (from LCDF Typetools [4]).

5 License

This package is released under the \LaTeX project public license, either version 1.3c or above [5]. Anyway both the TrueType and Type 1 files are delivered under the Open Font License version 1.1 [6].

References

- [1] http://www.latofonts.com/
- [2] http://www.ctan.org/tex-archive/macros/latex/required/
 graphics/
- [3] http://www.ctan.org/tex-archive/macros/latex/contrib/slantsc/
- [4] http://www.lcdf.org/type/
- [5] http://www.latex-project.org/lppl/lppl-1-3c.html
- [6] http://scripts.sil.org/OFL_web